

KESWICK SHOW 2025

ALL TRADE STANDS

Use these examples as a guide to complete hazard column.

- Slipping/tripping hazards * chemicals (e.g. battery acid) * moving parts of machinery (e.g. blades) *work at height (e.g. from mezzanine floors) * pressure systems * vehicles (e.g. fork-lift trucks) * Electricity * Dust (e.g. from grinding) * Fumes (e.g. vehicle engines) *Manual handling * Noise * Livestock on stand * Lifting operation Fire Hazard Combustible materials (Rubbish, flammable substances, LPG etc.)And ignition sources (flames, smoking etc.)
- Who might be harmed? Use as a guide to complete risk assessment column overleaf
- There is no need to list individuals by name - just think about groups of people doing similar work or who may be affected
- Members of the public. Pay particular attention to: Staff with disabilities * Visitors & Inexperienced Staff * Lone workers- they may be vulnerable
- Is more needed to control the risk? Use as a guide to complete controls to minimise risk column overleaf
- For the hazards listed, do the precautions already taken: - Meet the standards set by a legal requirement/ Comply with a Recognised industry standard? Represent good practise * Reduce risk as far as reasonably practicable?
- Have you provided:
- Adequate information, instruction or training? * Adequate systems or procedures?
- In case o fire, a means of escape * Fire detection and alarms * Fire fighting equipment
- Fire evacuation Plan
- If the answer is yes, then the risks are adequately controlled, but you need to indicate the precautions you have in place. Where the risk is not adequately controlled, indicate what more you need to do in the action list

RISK ASSESSMENT

Everyone **MUST** complete the form and return it with their application. Using the guidelines shown, please consider what risk there is to those building up Trade Stands and to members of the public during the Show. Outline the steps you propose to take to minimise that risk in the table below. Please copy this page if more space is required.

Company Name	
Address	
Responsible Person	
Date Assessment Completed	
Signature of Assessor	
Products to be exhibited	

Hazard	Hazard Severity Rating *	Hazard Probability Rating **	Persons at Risk	Controls to Minimise Risk

Hazard Severity Rating*. 1. Negligible 2. marginal 3. Slightly Dangerous 4. Dangerous 5. Very Dangerous

Hazard Probability Rating**. 1. Improbable 2. Remote 3. Possible 4. Probable 5. Very Probable Hazard.